

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Cancel Claim 1 without prejudice.

1. (Cancelled)
2. (Currently Amended) The delivery system of Claim ~~[[1]]27~~, wherein the packet producer further comprises:
a stream reader; and
a stream processor.
3. (Currently Amended) The delivery system of Claim ~~[[1]]27~~, further comprising a plurality of packet producers, each packet producer of said plurality supporting a different data format.
4. (Currently Amended) The delivery system of Claim ~~[[1]]27~~, wherein the stream reader obtains a streaming media asset in the form of a packetized stream of data and passes it to the stream processor.
5. (Original) The delivery system of Claim 4, wherein the stream processor is configured to process data in accordance with a predetermined format and places delivery time stamps on data packets received from the stream reader.
6. (Currently Amended) The delivery system of Claim 5, wherein the stream reader and stream processor share a common thread of control.
7. (Currently Amended) The delivery system of Claim ~~[[1]]27~~, wherein the streaming media asset comprises packets having uniform size and delivery times at irregular intervals.
8. (Currently Amended) The delivery system of Claim ~~[[1]]27~~, wherein the streaming media asset comprises packets having variable size and delivery times at irregular intervals.

9. (Currently Amended) The delivery system of Claim [[1]]27, wherein the streaming media asset comprises packets having uniform size and delivery times of regular intervals.

10. (Currently Amended) The delivery system of Claim [[1]]27, further comprising multiple feeder modules.

11. (Currently Amended) The delivery system of Claim [[1]]27, further comprising multiple time stamped packet queues.

12. (Cancelled)

13. (Currently Amended) A delivery system for use in a client server computer architecture in which the server provides streaming media assets to at least one client over a computer network, wherein the media assets can have a plurality of data formats, comprising:

a packet producer that acquires at least one streaming media asset in packetized form and places time stamps on the packets, each time stamp specifying a delivery time for its respective packet, wherein the packet producer adjusts the delivery time of at least one time stamp in accordance with a value indicating a maximum buffer size of a receiving client;

a time stamp packet queue containing the packets with time stamps in a first in, first out order; and

a feeder module that removes packets from the time stamp packet queue and transmits the removed packets to a client via the computer network according to the time stamp in each packet, the transmission for each packet concluded at least by the specified delivery time in each packet;

wherein the feeder module is further operative to control the admission of streaming media assets into the feeder that are to be delivered to a client, the control of admission and comprising:

defining a time window in terms of a first duration of time;

computing a number of bytes that need to be delivered during the time window, the bytes comprising a first streaming media asset;

translating the computed number of bytes into a first time to process value for the first streaming media asset; and

admitting for delivery the first streaming media asset if the first time to process value is smaller than the time window.

14. (Original) The delivery system of Claim 13, wherein the packet producer further comprises:

a stream reader; and
a stream processor.

15. (Original) The delivery system of Claim 13, further comprising a plurality of packet producers, each packet producer of said plurality supporting a different data format.

16. (Original) The delivery system of Claim 13, wherein the stream reader obtains a streaming media asset in the form of a packetized stream of data and passes it to the stream processor.

17. (Original) The delivery system of Claim 16, wherein the stream processor is configured to process data in accordance with a predetermined format and places delivery time stamps on data packets received from the stream reader.

18. (Original) The delivery system of Claim 16, wherein the stream reader and stream processor share a common thread of control.

19. (Original) The delivery system of Claim 13, wherein the streaming media asset comprises packets having uniform size and delivery times at irregular intervals.

20. (Original) The delivery system of Claim 13, wherein the streaming media asset comprises packets having variable size and delivery times at irregular intervals.

21. (Original) The delivery system of Claim 13, wherein the streaming media asset comprises packets having uniform size and delivery times of regular intervals.

22. (Cancelled)

23. (Cancelled)

24. (Original) The delivery system of Claim 13, further comprising multiple feeder modules.

25. (Original) The delivery system of Claim 13, further comprising multiple time stamped packet queues.

26. (Cancelled)

27. (Currently Amended) A delivery system for use in a client server computer architecture in which the server provides streaming media assets to at least one client over a computer network, wherein the media assets can have a plurality of data formats, comprising:

a packet producer that acquires at least one streaming media asset in packetized form and places time stamps on the packets, each time stamp specifying a delivery time for its respective packet, wherein the packet producer adjusts the delivery time of at least one time stamp in accordance with a value indicating a pre read size capability of a receiving client;

a time stamp packet queue containing the packets with time stamps in a first in, first out order; and

a feeder module that removes packets from the time stamp packet queue and transmits the removed packets to a client via the computer network according to the time stamp in each packet, the transmission for each packet concluded at least by the specified delivery time in each packet;

The delivery system of Claim 1, wherein the feeder module is further operative to control the admission of streaming media assets into the feeder that are to be delivered to a client, the control of admission and comprising:

defining a time window in terms of a first duration of time;

computing a number of bytes that need to be delivered during the time window, the bytes comprising a first streaming media asset;

translating the computed number of bytes into a first time to process value for the first streaming media asset; and

admitting for delivery the first streaming media asset if the first time to process value is smaller than the time window.

28. (Original) The method of Claim 27, further comprising the steps of:

computing a number of bytes that need to be delivered during the time window, the bytes comprising at least one additional streaming media asset;

translating the computed number of bytes into at least one additional time to process value for the at least one additional streaming media asset;

adding the at least one additional time to process value to the first time to process value;

and

admitting for delivery the at least one additional streaming media asset if the at least one additional time to process value is smaller than the time window.

29. (Cancelled)

30. (Cancelled)

40. (Currently Amended) The delivery system of Claim [[1]] 27, wherein the packet producer comprises a stream reader and a stream processor, the stream processor configured to process data in accordance with a predetermined data format, the stream reader obtaining a streaming media asset in the form of a packetized stream of data and passing it to the stream processor, the stream processor placing delivery time stamps on the received data packets, wherein at least one of the time stamps is adjusted for an early delivery in accordance with the receiving client's pre-read size capability.

Cancel Claim 41 without prejudice.

41. (Cancelled)

42. (Previously Presented) The method for delivering the streaming media assets in Claim 41, further comprising: resolving delivery conflicts between at least two streaming media assets delivered simultaneously by the server to at least one client, wherein the at least one client has a pre read size value that indicates a capability of the client to pre read data, the streaming media assets comprising data packets having delivery time stamps.

43. (Previously Presented) The method for delivering the streaming media assets of Claim 42, wherein the resolving of delivery conflicts further comprising:
detecting a delivery conflict between the at least two streaming media assets;
adjusting at least one of the time stamps to indicate an early delivery for at least one of the packets, wherein the adjusted time stamp is adjusted in accordance with the pre read size value;
and
delivering the packets at least by times specified by the time stamps.

44. (Previously Presented) The method for delivering the streaming media assets of Claim 43, further comprising the step of the client communicating the pre read size value to the server when the client requests delivery of a streaming media asset.

45. (Previously Presented) The method for delivering the streaming media assets of Claim 44, further comprising the steps of the server communicating to the client an optimum value for the pre read size value; and the client allocating sufficient resources to accommodate the optimum value for the pre read size value.

46. (Previously Presented) The method for delivering the streaming media assets of Claim 41, further comprising: resolving delivery conflicts between at least two streaming media assets delivered simultaneously by the server to at least one client, wherein the at least one client has a max buffer size value that indicates a capability of the client to accept delayed data, the streaming media assets comprising data packets having delivery time stamps.

47. (Previously Presented) The method for delivering the streaming media assets of Claim 46, wherein the resolving of delivery conflicts further comprising:
detecting a delivery conflict between the at least two streaming media assets;
adjusting at least one of the time stamps to indicate a delayed delivery for at least one of the packets, wherein the adjusted time stamp is adjusted in accordance with the max buffer size value;
and
delivering the packets at least by times specified by the time stamps.

48. (Currently Amended) The method for delivering the streaming media assets of Claim 47, [[,]] further comprising the step of the client communicating the max buffer size value to the server when the client requests delivery of a streaming media asset.

49. (Previously Presented) The method for delivering the streaming media assets of Claim 47, further comprising the steps of
the server communicating to the client an optimum value for the max buffer size value; and
the client allocating sufficient resources to accommodate the max buffer size value having the optimum value.

50. (Previously Presented) The method for delivering the streaming media assets of Claim 41, further comprising: controlling the admission of streaming media assets into the time stamp packet queue that are to be delivered to a client.

51. (Currently Amended) In a delivery system for use in a client server computer architecture in which the server provides streaming media assets that can have a plurality of data formats to at least one client over a computer network, a method for delivering the streaming media assets comprising:

acquiring at least one streaming media asset in packetized form, placing time stamps on the packets specifying a delivery time for its respective packet, and adjusting the delivery time of at least one time stamp in accordance with a value indicating a pre read size capability of a receiving client;

maintaining a time stamp packet queue containing the packets with time stamps in a first in, first out order;

removing packets from the time stamp packet queue and transmitting the removed packets to a client via the computer network according to the time stamp in each packet, the transmission for each packet concluded at least by the specified delivery time in each packet; and

controlling the admission of streaming media assets into the time stamp packet queue that are to be delivered to a client; ~~The method for delivering the streaming media assets of Claim 50,~~

wherein the control of admission further comprising:

defining a time window in terms of a first duration of time;

computing a number of bytes that need to be delivered during the time window, the bytes comprising a first streaming media asset;

translating the computed number of bytes into a first time to process value for the first streaming media asset;

adding the first time to process value to a cumulative time to process value; and

admitting for delivery the first streaming media asset if the cumulative time to process value is smaller than the time window.

52. (Previously Presented) The method for delivering the streaming media assets of Claim 51, further comprising: resolving delivery conflicts between at least two streaming media assets delivered simultaneously by the server to at least one client, wherein the at least one client has a pre read size value that indicates a capability of the client to pre read data, the streaming media assets comprising data packets having delivery time stamps.

53. (Previously Presented) The method for delivering the streaming media assets of Claim 52, wherein the resolving of delivery conflicts further comprising:
detecting a delivery conflict between the at least two streaming media assets;
adjusting at least one of the time stamps to indicate an early delivery for at least one of the packets, wherein the adjusted time stamp is adjusted in accordance with the pre read size value;
and
delivering the packets at least by times specified by the time stamps.

54. (Currently Amended) A computer program product stored on a computer readable medium for use in a client server computer architecture for delivering streaming media assets that can have a plurality of data formats to at least one client over a computer network, the computer program product including a program module that executes the steps of:
acquiring at least one streaming media asset in packetized form;
placing time stamps on the packets specifying a delivery time for its respective packet;
adjusting the delivery time of at least one time stamp in accordance with a value indicating at least one of a pre read size capability and a maximum buffer size of a receiving client;
maintaining a time stamp packet queue containing the packets with time stamps in a first-in, first-out order; [[and]]
removing packets from the time stamp packet queue and transmitting the removed packets to a client via the computer network according to the time stamp in each packet, the transmission for each packet concluded at least by the specified delivery time in each packet.
controlling the admission of streaming media assets into the time stamp packet queue that are to be delivered to a client;
the control of admission further comprising:
defining a time window in terms of a first duration of time;
computing a number of bytes that need to be delivered during the time window, the bytes comprising a first streaming media asset;
translating the computed number of bytes into a first time to process value for the

first streaming media asset;

adding the first time to process value to a cumulative time to process value; and
admitting for delivery the first streaming media asset if the cumulative time to
process value is smaller than the time window.

55. (Previously Presented) A computer program product as in Claim 54, further comprising:

providing a space window comprising a value representing an amount of contiguously stored data;

scanning with the space window a file containing a media asset to be transmitted from the server computer system to the client computer system; and

returning a value representing the shortest duration of time over which the data contained in the space window can be delivered according to time stamps placed in the plurality of packets.

56. (Currently Amended) The method for delivering the streaming media assets of Claim [[50]] 51, wherein the control of admission comprising:

providing a space window comprising a value representing an amount of contiguously stored data;

scanning with the space window a file containing a media asset to be transmitted from the server computer system to the client computer system; and

returning a value representing the shortest duration of time over which the data contained in the space window can be delivered.